



Velcron

VELCRON

Company

High quality plastic components for the boating industry since 1970. With over 40 years of experience about the design and proper materials to use in the marine and outdoor environment.

Our products are designed to meet the real world needs whether they are universal or specialized, while always listening to our clientele opinions from both the industry and retail side. All of our products are manufactured in Finland, which enables us to meet even large industry orders on a short time period.

We are likewise able to design a single or a line of products to meet specific needs of our client that have remained unanswered.





VELCRON

Product catalogue

2017

1. Vents & adapters
2. Cleats
3. Drain sockets
4. Handles
5. Hinges
6. Light shields
7. Paddles and rowing
8. Thru-hull fittings
9. Transom pads
10. Other
11. Contact



1. Vents & adapters

90500

Vent 3"

Available colors: black (90500), gray (90502), white (90501)

Outside diameter: 100mm

Inner diameter: 75mm

Easy clip-on attachment to the adapter for ease of installation

Material: HD-PE / UV stabilized

90600

Flange adapter for vent

Available colors: white

Outside diameter: 91mm

Cutting diameter: 76mm

Screw: 3x4mm

For quick and easy vent installation

Material: HD-PE



1. Vents & adapters

90601

Adapter for 3" vent and hose

Available colors: white
Outside diameter: 91mm
Cutting diameter: 76mm
Depth: 63mm
Screw: 3x4mm
Material: HD-PE



90602

90° Elbow adapter for 3" vent and hose

Available colors: white
Outside diameter: 91mm
Cutting diameter: 76mm
Screw: 3x4mm
Material: HD-PE



2. Cleats

34200

Composite cleat, 211mm

Available colors: black (34200), gray (34202)
you can also order and customize with your own colors

Height: 48mm

Length: 211mm

Ø: 8mm (x2)

Special polyamid + glass / UV stabilized

New design protected (OAMI) cleat with LED light (accessory).
You can personalize the product with different colors and/or
add your own logo to the cover plate.

This product fulfils the CE requirements.



2. Cleats

30120

Cleat, 120mm

Available colors: black
Height: 20mm
Length: 120mm
Ø: 6mm (x2)
Material: PA6



30121

Cleat, 150mm

Available colors: black
Height: 25mm
Length: 150mm
Ø: 6mm (x2)
Material: PA6



30250

Cleat, 144mm

Available colors: black
Height: 35mm
Length: 144mm
Ø: 5mm (x4)
Material: PA6



2. Cleats

30251

Cleat, 170mm

Available colors: black

Height: 30mm

Length: 170mm

Ø: 6mm (x2)

Material: PA6 + 15% glass

30252

Cleat, 215mm

Available colors: black (30252), gray (32252), white (31252)

Height: 43mm

Length: 215mm

Ø: 8mm (x2)

Material: PA6 + 15% glass / UV stabilized



3. Drain sockets

20114

Drain socket with non-return valve

Available colors: black (20114), white (21114)

Diameter: 80x80mm

Ø: 50mm

Material: PA6

Rubber: Dryflex SEPS



20115

Drain socket with non-return valve, large

Available colors: black (20115), white (21115)

Diameter: 80x80mm

Ø: 50mm

Material: PA6

Rubber: Dryflex SEPS



20215

Drain plug, 18mm

Available colors: black

Material: PA6



4. Handles

30180

Handle, 215mm

Available colors: black (30180), gray (31180), white (32180)

Height: 40mm

Length: 215mm

Ø: 4,5mm (x4)

Material: PP / UV stabilized

30181

Handle, 285mm

Available colors: black

Height: 50mm

Length: 285mm

Ø: 6mm (x4)

Material: PP / UV stabilized

30182

Handle, 210mm

Available colors: black (30182), gray (32182), white (31182)

Height: 40mm

Length: 210mm

Ø: 4,5mm (x4)

Material: PP / UV stabilized



4. Handles

30183

Handle, 260mm

Available colors: black (30183), gray (32183), white (31183)

Height: 40mm

Length: 260mm

Ø: 4,5mm (x4)

Material: PP / UV stabilized

35200

Handle, 283mm

Available colors: black (35200), gray (35220), white (35210)

Height: 50mm

Length: 287mm

Ø: 4,5mm (x4)

Ø: 6mm (x2)

Material: PP / UV stabilized



5. Hinges

Simple click-on installation for cover plates. Hinges are available with or without the cover plates.

77000

Hinge with/without cover plates, 40x75

Colors: black (77000), gray (77002)

Width: 40mm

Length: 75mm

Ø: 5mm (x5)

Composite pin Ø: 3mm

Made of strong PA6.6 / UV stabilized

77100

Hinge with/without cover plates, 40x42

Colors: black (77100), gray (77102)

Width: 40mm

Length: 42mm

Ø: 5mm (x4)

Composite pin Ø: 3mm

Made of strong PA6.6 / UV stabilized

77200

Hinge with/without cover plates, 40x49

Colors: black (77200), gray (77202)

Width: 40mm

Length: 49mm

Ø: 5mm (x4)

Composite pin Ø: 3mm

Made of strong PA6.6 / UV stabilized



5. Hinges

Simple click-on installation for cover plates. Hinges are available with or without the cover plates.

77300

Hinge with/without cover plates, 40x57

Colors: black (77300), gray (77302)

Width: 40mm

Length: 57mm

Ø: 5mm (x4)

Composite pin Ø: 3mm

Made of strong PA6.6 / UV stabilized

77400

Hinge with/without cover plates, 40x56

Colors: black (77400), gray (77402)

Width: 40mm

Length: 56mm

Ø: 5mm (x5)

Composite pin Ø: 3mm

Made of strong PA6.6 / UV stabilized

77500

Hinge with/without cover plates, 40x64

Colors: black (77500), gray (77502)

Width: 40mm

Length: 64mm

Ø: 5mm (x5)

Composite pin Ø: 3mm

Made of strong PA6.6 / UV stabilized



5. Hinges

Simple click-on installation for cover plates. Hinges are available with or without the cover plates.

77600

Hinge with/without cover plates, 40x68

Colors: black (77600), gray (77602)

Width: 40mm

Length: 68mm

Ø: 5mm (x5)

Composite pin Ø: 3mm

Made of strong PA6.6 / UV stabilized

77700

Hinge with/without cover plates, 40x94

Colors: black (77700), gray (77702)

Width: 40mm

Length: 94mm

Ø: 5mm (x6)

Composite pin Ø: 3mm

Made of strong PA6.6 / UV stabilized

77800

Hinge with/without cover plates, 40x70

Colors: black (77800), gray (77802)

Width: 40mm

Length: 70mm

Ø: 5mm (x6)

Composite pin Ø: 3mm

Made of strong PA6.6 / UV stabilized



5. Hinges

Simple click-on installation for cover plates. Hinges are available with or without the cover plates.

77900

Hinge with/without cover plates, 40x83

Colors: black (77900), gray (77902)

Width: 40mm

Length: 83mm

Ø: 5mm (x6)

Composite pin Ø: 3mm

Made of strong PA6.6 / UV stabilized

77940

Step for hinge (40x42)

Colors: black (77940)

Width: 40mm

Length: 50mm

Ø: 5mm (x2)

Made of strong PA6.6



5. Hinges

75201

Hinge, polyamide small

Available colors: black (75201), gray (75221), white (75211)

Width: 40mm

Length: 42mm

Ø: 5mm (x4)

Standard brass pin Ø: 4mm

Made of strong PA6.6

75202

Hinge, polyamide medium

Available colors: black (75202), gray (75222), white (75212)

Width: 40mm

Length: 50mm

Ø: 5mm (x4)

Standard brass pin Ø: 4mm

Made of strong PA6.6

75203

Hinge, polyamide large

Available colors: black (75203), gray (75223), white (75213)

Width: 40mm

Length: 57mm

Ø: 5mm (x4)

Standard brass pin Ø: 4mm

Made of strong PA6.6



6. Light shields

60130

Light shield, small

Available colors: black

Depth: 117mm

Height: 92mm

Material: ABS



60131

Light shield, large

Available colors: black

Depth: 200mm

Height: 100mm

Material: ABS



60132

Light shield, round

Available colors: black

Diameter: 170mm

Material: ABS



7. Paddles and rowing

30170

Rowlock

Available colors: black
Diameter of rod: 51mm
Material: PA6



30171

Rowlock socket

Available colors: black
Height: 44mm
Width: 60mm
Diameter: 18mm
Ø: 6mm (x2)
Material: PA6 + 30% glass



70220

Paddle clips

Available colors: gray
Height: 32mm
Width: 30mm
Length: 30mm
Ø: 1 x 6mm
For Ø 25mm pipe
UV stabilized



7. Paddles and rowing

80241

Paddle w/ boat hook, 150cm

Available colors: gray (80241), blue (81241), red (82241)

Length: 150cm

Paddles with gray, blue or red PPC blade and nylon boat hook handle

Light 25mm alloy pole, very functional and sturdy

80242

Paddle w/ boat hook, 180cm

Available colors: gray (80242), blue (81242), red (82242)

Length: 180cm

Paddles with gray, blue or red PPC blade and nylon boat hook handle

Light 25mm alloy pole, very functional and sturdy



8. Thru-hull fittings

10103

Thruhull fitting rubber, 3-part

Available colors: black
Outer diameter: 78mm
Inner diameter: 55mm
Material: Dryflex SEPS
Ring: PA6 + 15% glass

10104

Thruhull fitting rubber, cone small

Available colors: black
Outer diameter: 78mm
Inner diameter: 50mm
Material: Dryflex SEPS
Ring: PA6 + 15% glass

10105

Thruhull fitting rubber, 2-part

Available colors: black
Outer diameter: 78mm
Inner diameter: 55mm
Material: Dryflex SEPS
Ring: PA6 + 15% glass



8. Thru-hull fittings

10106

Thruhull fitting rubber, cone medium

Available colors: black
Outer diameter: 118mm
Inner diameter: 90mm
Material: Dryflex SEPS
Ring: PA6 + 15% glass

10107

Thruhull fitting rubber, flat

Available colors: black, gray
Outer diameter: 118mm
Inner diameter: 90mm
Material: Dryflex SEPS / UV stabilized
Ring: PA6 + 15% glass

10108

Thruhull fitting rubber, cone large

Available colors: black
Outer diameter: 165mm
Inner diameter: 135mm
Material: Dryflex SEPS
Ring: PA6 + 15% glass



8. Thru-hull fittings

10109

Thruhull fitting rubber, accordion

Available colors: black
Outer diameter: 135mm
Inner diameter: 105mm
Material: Dryflex SEPS
Ring: PA6 + 15% glass



10110

Thruhull fitting rubber, hourglass

Available colors: black (10110), gray (11010), white (12010)
Outer diameter: 95mm
Inner diameter: 60mm
Material: Dryflex SEPS / UV stabilized
Ring: PA6 + 15% glass



10120

Thruhull fitting rubber, adjustable

Available colors: black
Outer diameter: 105mm
Inner diameter: 74mm
Material: Dryflex SEPS
Ring: PA6 + 15% glass



8. Thru-hull fittings

10121

Thruhull fitting rubber, adjustable w/o screws

Available colors: black
Outer diameter: 93mm
Inner diameter: 81mm
Material: Dryflex SEPS



10130

Engine tube fitting

Available colors: black
Outer diameter: 110mm
Ø: 70mm
Material: PP



10135

Engine cable tube

Available colors: black
Outer diameter: 61mm
Inner diameter: 50mm
Length: 15m
Material: LLDPE
Usage temperature -40C - +80C, tolerates oils and fuels. Structure: light polyeten material, 460g/m. Recovers to original shape after refraction or constriction.



8. Thru-hull fittings

10140

Engine tube end fitting

Available colors: black

Outer diameter: 61mm

Material: Dryflex SEPS

Compatible with most engine cable protection tubes

Black cable tie is included

20217

Thruhull fitting, steering cable

Available colors: black

Inner diameter: 21mm

Outer diameter: 30mm

Length: 28mm

Material: PA6

Nut: POM



8. Thru-hull fittings

20218

Thruhull fitting, 70mm

Available colors: black
Outer diameter: 30mm
Length: 70mm
Material: PA6

20219

Thruhull fitting, 120mm

Available colors: black
Outer diameter: 30mm
Length: 120mm
Material: PA6



9. Transom pads

50200

Transom pad, small

Available colors: black (50200), gray (52200), white (51200)

Height: 80mm

Width: 195mm

Material: PP / UV stabilized

50201

Transom pad, medium

Available colors: black (50201), gray (52201), white (51201)

Height: 95mm

Width: 265mm

Material: PP / UV stabilized



10. Other

40200

Mug holder

Available colors: black (40200), gray (40202), white (40201)

Depth: 65mm

Inner Ø : 67mm

Outer Ø: 95mm

Info: option for draining

Material: ABS / UV stabilized

50140

Rubber fastener

Available colors: black and gray

Length: 150mm

Material: Dryflex SEPS



10. Other

50145

Windscreen fastener

Available colors: black (50145), gray (51145), white (52145)

Diameter: 25mm

Height: 12mm

Screw Ø: 5mm

Material: PP



59100

Windscreen fastener w/ screw cap

Available colors: black (59100), gray (59102), white (59101)

Diameter: 25mm

Height: 13,5mm

Screw Ø: 5mm

Material: PP



90190

Bilgepump

Available colors: black (90190), gray (90191)

Width: 150mm

Height: 100mm

Length: 275mm

Tube diameter: 25mm

Info: 0,5 L / pull





VELCRON

Contacts

Jukka Manninen
CEO
jukka@velcron.fi
+358 400 430 947

Jyry Manninen
Sales Manager
jyry@velcron.fi
+358 451 277 217

Velcron Oy
Rantakuja 36
16100 Uusikylä, Finland
info@velcron.fi
www.velcron.fi

